



SCROLODEX® FORMAT - PRODUCT LISTING

POLYETHYLENE WATER TANKS, SEPTIC TANKS AND TREATMENT SYSTEMS

www.premierplastics.com

VERTICAL WATER TANKS



(Above ground only)



| Model | Gallons | Litres | Dia. | Height |
|---------|---------|--------|------|--------|
| VW 110 | 110 | 500 | 30" | 53" |
| VW 250 | 250 | 1130 | 47" | 47" |
| VW 400 | 400 | 1810 | 47" | 71" |
| VW 480 | 480 | 2180 | 71" | 44" |
| VW 520 | 520 | 2360 | 47" | 90" |
| VW 670 | 670 | 3040 | 47" | 112" |
| VW 700 | 700 | 3180 | 62" | 72" |
| VW 800 | 800 | 3630 | 71" | 67" |
| VW 960 | 960 | 4360 | 71" | 79" |
| VW 1200 | 1200 | 5450 | 91" | 63" |
| VW 1280 | 1280 | 5810 | 71" | 103" |
| VW 1660 | 1660 | 7540 | 102" | 66" |
| VW 1950 | 1950 | 8860 | 91" | 92" |
| VW 2500 | 2500 | 11360 | 102" | 95" |
| VW 3330 | 3330 | 15130 | 102" | 123" |
| VW 4160 | 4160 | 18910 | 102" | 152" |

Tanks include a 16" vented access lid & a 2" threaded female pipe outlet (1" - VW110)

HORIZONTAL LEG TANKS



(Above ground only)



| Model | Gallons | Litres | Length | Width | Height |
|--------|---------|--------|--------|-------|--------|
| LT 45 | 45 | 200 | 39 ¼" | 25" | 22" |
| LT 72 | 72 | 320 | 39 ¼" | 30 ½" | 28 ¼" |
| LT 130 | 130 | 590 | 47" | 40 ½" | 34" |
| LT 175 | 175 | 790 | 47" | 44" | 40 ¼" |
| LT 230 | 230 | 1040 | 50" | 47" | 46 ¼" |
| LT 380 | 380 | 1720 | 59 ¼" | 55 ½" | 52" |
| LT 810 | 810 | 3680 | 100" | 60" | 50" |

Tanks include a vented access lid (various according to tank size). Threaded outlet fitting is supplied loose inside tank. Can be factory installed as required





UTILITY TANKS


(Above ground only)



| Model | Gallons | Litres | Dia. | Height |
|----------|---------|--------|------|--------|
| UT35-50 | 40 | 180 | 35" | 12" |
| UT35-100 | 80 | 360 | 35" | 24" |
| UT29-100 | 80 | 360 | 29" | 34" |
| UT35-150 | 120 | 540 | 35" | 36" |
| UT35-200 | 160 | 720 | 35" | 48" |
| UT29-200 | 160 | 720 | 29" | 77" |
| UT35-250 | 200 | 900 | 35" | 60" |
| UT35-300 | 240 | 1090 | 35" | 72" |
| UT35-350 | 280 | 1270 | 35" | 84" |

Fits thru standard doorways

Tanks include a 16" vented access lid & a 1" threaded female pipe outlet (1" - VW110)



RAINDROP TANKS

(Above ground only)



Fits thru 36" doorways

| Model | Gallons | Litres | Length | Width | Height |
|--------|---------|--------|--------|-------|--------|
| RT-375 | 375 | 1700 | 81" | 34" | 50" |

Tanks include an 8" vented access lid & a 1" threaded female pipe outlet

BOX TANKS

(Above ground only)



| Model | Gallons | Litres | Length | Width | Height |
|---------|---------|--------|---------|-------|--------|
| BOX 25 | 25 | 110 | 26" | 24" | 12" |
| BOX 50 | 50 | 220 | 26" | 24" | 24" |
| BOX 100 | 100 | 450 | 49 1/2" | 25" | 25" |
| BOX 200 | 200 | 900 | 49 1/2" | 45" | 25" |
| BOX 250 | 250 | 1130 | 48" | 42" | 30" |
| BOX 400 | 400 | 1810 | 84" | 48" | 31" |
| BOX 800 | 800 | 3630 | 98" | 82" | 31" |

Fittings and access, extra

SLIMLINE TANKS

(Above ground only)



| Model | Gallons | Litres | Length | Width. | Height |
|--------|---------|--------|---------|--------|---------|
| SL 270 | 270 | 1220 | 75 1/2" | 17.8" | 75 1/2" |
| SL 340 | 340 | 1540 | 75 1/2" | 21.7" | 75 1/2" |

Tanks include a 1" outlet fitting and a 12" vented access lid.

TAPERED TANKS

(Above ground only)



| Model | Gallons | Litres | Dia. | Height |
|---------|---------|--------|------|--------|
| TT 200 | 200 | 900 | 45" | 50" |
| TT 220 | 220 | 1000 | 29" | 77" |
| TT 400 | 400 | 1810 | 58" | 54" |
| TT 500 | 500 | 2270 | 64" | 55" |
| TT 1400 | 1400 | 6360 | 93" | 88" |

Fittings extra



CONE BOTTOM TANKS

(Above ground only)



| Model | Gallons | Litres | Dia. | Height |
|-----------|---------|--------|------|--------|
| CB 600 | 600 | 2720 | 71" | 74" |
| CB 920 | 920 | 4180 | 71" | 92" |
| CB 1080 | 1080 | 4900 | 71" | 104" |
| CB 1390 | 1390 | 6310 | 71" | 128" |
| CB 1390EH | 1390 | 6310 | 71" | 128" |

Steel/FG.Cradle Stand *Fittings extra*



BOBBLE TANKS (Ultra-Low Profile)



| Model | Gallons | Litres | Length | Width | Height |
|-------|---------|--------|--------|-------|--------|
| BT470 | 470 | 2130 | 84" | 84" | 41" |



CISTERN TANKS

(Buried)



| Model | Gallons | Litres | Dia./ Length | Width | Height |
|------------|---------|--------|-----------------|-------|---------|
| CIS 190 | 190 | 860 | 47" | | 54" |
| CIS 250 | 250 | 1130 | 40" | | 48" |
| CIS 300 | 300 | 1360 | 47" | | 72 1/2" |
| CIS 470 | 470 | 2130 | 84" | 84" | 41" |
| CIS 500 | 500 | 2270 | 66" | | 66" |
| CIS 500 EH | 500 | 2270 | 66" | | 66" |
| CIS 725 | 725 | 3290 | 75" | | 78" |
| CIS 725 EH | 725 | 3290 | 75" | | 78" |
| CIS 880 | 880 | 4000 | 75" | | 86" |
| STC 900 | 900 | 4090 | 100" | 83" | 48" |
| STC 1050 | 1050 | 4770 | 100" | 83" | 56" |
| STC 1250 | 1250 | 5680 | 100" | 83" | 64" |
| STC 1500 | 1500 | 6810 | 100" | 83" | 75" |



RAIN HARVESTING ACCESSORIES



Description:

Rainwater debris filter basin Model No. RWF BX50

Cloth Filter basket liner Tuffy 40 Micron 15" Dia.

Tank Level Monitor - mechanical -
No Power required TATG02

*Note: Refer to RAIN-TANK 2017 Excel spreadsheet
for storage tank size optimization*





SEPTIC TANKS

(Buried)



| Model | Gal-lons | Litres | Dia. or Length | Width | Height |
|------------|----------|--------|----------------|-------|--------|
| SEP 640 | 640 | 2900 | 75" | | 78" |
| SEP 640 EH | 640 | 2900 | 75" | | 78" |
| STS 750S | 750 | 3400 | 100" | 83" | 48" |
| STS 750D | 750 | 3400 | 100" | 83" | 48" |
| SEP 780 | 780 | 3540 | 75" | | 86" |
| SEP 780 EH | 780 | 3540 | 75" | | 86" |
| STS 900S | 900 | 4090 | 100" | 83" | 56" |
| STS 900D | 900 | 4090 | 100" | 83" | 56" |
| STS 1125S | 1125 | 5110 | 100" | 83" | 64" |
| STS 1125D | 1125 | 5110 | 100" | 83" | 64" |
| STS 1350S | 1350 | 6130 | 100" | 83" | 75" |
| STS 1350D | 1350 | 6130 | 100" | 83" | 75" |

STS Models are SuperTanks

PUMPOUT TANKS

(Buried)



3' bury
5' bury

NEW

| Model | Gallons | Litres | Dia. | Width | Height |
|------------|---------|--------|------|-------|--------|
| DS 70 Sump | 70 | 310 | 31" | | 50" |
| PO 190 | 190 | 860 | 47" | | 54" |
| PO 250 | 250 | 1130 | 40" | 74" | 48" |
| TR 250 | 250 | 1130 | 40" | 74" | 48" |
| PO 300 | 300 | 1360 | 47" | | 72" |
| PO 500 | 480 | 2180 | 66" | | 66" |
| PO 500EH | 480 | 2180 | 66" | | 66" |
| TR 500 | 460 | 2090 | 66" | | 66" |
| PO 640 | 640 | 2900 | 75" | | 78" |
| PO 780 | 780 | 3540 | 75" | | 86" |
| PO 380 | 380 | 1720 | 59" | 55" | 47" |
| PO 470 | 450 | 2040 | 84" | 84" | 41" |
| PO 750* | 750 | 3400 | 100" | 83" | 48" |
| PO 900* | 900 | 4090 | 100" | 83" | 56" |
| PO 1125* | 1125 | 5110 | 100" | 83" | 64" |
| PO 1350* | 1350 | 6130 | 100" | 83" | 75" |

**Super Tanks*

NEW

GEOMATRIX 'ULTRA LOW PROFILE' TYPE 1 OR 2 LEACHING SYSTEM (NSF 40 CERTIFIED)

Also for high watertable, high restrictive layer installs

- 39" or 12" wide GEOMAT Panel
- 1" thick matrix dispersal cavity
- 1-39" roll services 325 sq ft of leachfield area.
- Maximum loading rate 7.56Litres/Sq.Ft



FLOUT DOSING TANK PACKAGES



| Model No. | Flout size | Length | Width | Height | Max. Dose (Gals.) |
|------------|------------|---------|---------|---------|-------------------|
| FLT B50 | 3" | 26" | 24" | 24" | 20 gals. |
| FLT 130 | 3" | 47" | 40 1/2" | 34" | 75 gals. |
| FLT 175 | 3" | 47" | 44" | 40 1/4" | 115 gals. |
| FLT 230 | 3" | 49 3/4" | 47" | 46 1/4" | 160 gals. |
| FLT 380 | 3" | 59 1/4" | 55" | 52" | 275 gals. |
| * FLT 380D | 3" D | 59 1/4" | 55" | 52" | 275 gals. |

* Intermediate dose volume custom set
Flout Dose Counter (Mech.) Model DC4 4" pipe
* D = Double Flout (as shown)

Flout Packages Include:

- Heavy duty poly holding tank- (max 4' bury)
- 3" Flout, fallback stop, Inlet pipe and vent/ overflow.
- 24" UltraRib or PolyLok riser (6" high) and cover.
- 4" Inlet rubber bushing
- 4" inlet pipe and flow deflector
- 3" discharge bulkhead fitting
- 3" sched. 40 male adapters x 2
- No field assembly required

see www.premierplastics.com for more information

Note: Refer to GRAVITY 2017 Excel Spreadsheet for System Performance

TANK ACCESSORIES

LIDS



| Item | Size |
|--------------------------------------|------|
| Lid & Rim with Double Air Breather | 6" |
| Lid & Rim with Double Air Breather | 8" |
| Lid & Rim with Double Air Breather | 12" |
| Lid & Rim with Double Air Breather | 16" |
| Lid & Rim with Double Air Breather | 22" |
| Lockable Transport Lid (with gasket) | 16" |

LEAF FILTER BASKET



| Item | Size |
|------------------------|------|
| Leaf Filter Basket | 8" |
| Leaf Filter Basket | 12" |
| Leaf Filter Basket | 15" |
| 40 Micron Basket Liner | 15" |

BULKHEAD FITTINGS



PVC or Polypropylene

| Item | Size |
|--------------------------------------|--------|
| Bulkhead Fittings (Glass reinforced) | 3/4" |
| Bulkhead Fittings (Glass reinforced) | 1" |
| Bulkhead Fittings (Glass reinforced) | 1 1/2" |
| Bulkhead Fittings (Glass reinforced) | 2" |
| Bulkhead Fittings (Glass reinforced) | 3" |
| Bulkhead Fittings (Glass reinforced) | 4" |



SEPTIC FILTERS

(For outlet Tee Y)



| Item | Size |
|------------------|------|
| PolyLok 30130 | 4" |
| Zoeller 170-0078 | 4" |

POLYLOK RUBBER BUSHING



| Item | Size |
|----------------------------------|------|
| PolyLok Rubber Bushing | 2" |
| PolyLok Rubber Bushing SCH40/DWV | 3" |
| PolyLok Rubber Bushing SCH40/DWV | 4" |
| PolyLok Rubber Bushing SCH40/DWV | 6" |

ULTRARIB RISERS



field trim to any length within 1 1/2"

Incl. Heavy Duty PolyLok Cover

| Item (Nominal Dia 24") | Size |
|------------------------|----------|
| UR 24-6 | 6" High |
| UR 24-12 | 12" High |
| UR 24-18 | 18" High |
| UR 24-24 | 24" High |
| UR 24-30 | 30" High |
| UR 24-36 | 36" High |
| UR 24-42 | 42" High |
| UR 24-48 | 48" High |
| URC-24 Connector Ring | 24" Dia |
| Fibreglass Cover Alt. | 24" Dia |

Fits all Supertank Sizes, Fat Alberts PO190, PO300

POLYLOK RISERS



| Item (Nominal Dia 24") | Size |
|------------------------|------------------|
| 3008-RC24Cover | 24" Dia |
| Xheavy Duty Cover | 24" Dia |
| Adapater Ring | 24" Dia |
| Riser 3008-R6 Section | 6" High Section |
| Riser 3008-R12 Section | 12" High Section |

Fits all Supertank Sizes

| Item (Nominal Dia 20") | Size |
|------------------------|------------------|
| 3009-RC20 Cover | 20" Dia |
| Xheavy Duty Cover | 20" Dia |
| Adapater Ring | 20" Dia |
| Riser 3009-R6 Section | 6" High Section |
| Riser 3008-R12 Section | 12" High Section |

INDUSTRIAL ADHESIVE



| | |
|-------------------------------------|-------------|
| E6100 Industrial Adhesive / Sealant | Single Tube |
| E6100 Industrial Adhesive / Sealant | Case of 12 |



SEAL FOAM TAPE

| Item | Size |
|-------------------------|-----------|
| PolyLok RTR Foam Tape | 8' length |
| 3/4" x 3/4" Closed Foam | box |

DISTRIBUTION BOXES

| Item | Length | Width | Height |
|--------------------|---------|----------|---------|
| D-Box 643 (6 Hole) | 23 1/2" | 17" | 17 1/2" |
| D-Box 843 (8 Hole) | 31" | 17" | 17 1/2" |
| PolyLok (4 Hole) | | 20" Dia. | 16" |
| PolyLok (10 Hole) | | 24" Dia. | 17" |



REMOTE TANK LEVEL GAUGE

| Item |
|---|
| Tank Level Gauge Kit (Pneumatic Dipstick) |



ULTRARIB RISER PIPE (PACKAGE)

| Item | Length | Width | Height |
|--|--------|-------|--------|
| Dimensions per pallet | 48" | 48" | 90" |
| Total 28ft, Bundle 4 pcs 7ft long per pallet | | | |



CHECK FACTORY FOR ALTERNATE RISER PIPE.

*see Website for exact tank profile
All Volumes in Imperial Gallons
(unless otherwise noted)
All Dimensions and Volumes are Nominal*

1 Imp. Gal = 1.2 US Gal
1 Imp. Gal = 4.54 Litres
1 US Gal = 3.78 Litres

Refer to online catalogue for full details of our product line

www.premierplastics.com

or call us

1-800-661-4473

THANK YOU FOR CHOOSING PREMIER



8328 River Way Delta, BC V4G 1C4
Tel: 604-952-6686 Fax: 604-952-6696



Jean
Inside Sales



Sam
Plant Manager



MEET THE PREMIER 'TEAM'
- WE PULL HARDER!

PREMIER PLASTICS INC. ROTATIONAL MOLDERS

8328 River Way, Delta, B.C. Canada
www.premierplastics.com

