



SCROLODEX® FORMAT - PRODUCT LISTING

POLYETHYLENE WATER TANKS, SEPTIC TANKS AND TREATMENT SYSTEMS

www.premierplastics.com



VERTICAL WATER TANKS

(Above ground only)



Model	Gallons	Litres	Dia.	Height
VW 110	110	500	30"	53"
VW 250	250	1130	47"	47"
VW 400	400	1810	47"	71"
VW 480	480	2180	71"	44"
VW 520	520	2360	47"	90"
VW 670	670	3040	47"	112"
VW 700	700	3180	62"	72"
VW 800	800	3630	71"	67"
VW 960	960	4360	71"	79"
VW 1200	1200	5450	91"	63"
VW 1280	1280	5810	71"	103"
VW 1660	1660	7540	102"	66"
VW 1950	1950	8860	91"	92"
VW 2500	2500	11360	102"	95"
VW 3330	3330	15130	102"	123"
VW 4160	4160	18910	102"	152"

Tanks include a 16" vented access lid & a 2" threaded female pipe outlet (1" - VW110)



HORIZONTAL LEG TANKS

(Above ground only)



Model	Gallons	Litres	Length	Width	Height
LT 45	45	200	39 ¼"	25"	22"
LT 72	72	320	39 ¼"	30 ½"	28 ¼"
LT 130	130	590	47"	40 ½"	34"
LT 175	175	790	47"	44"	40 ¼"
LT 230	230	1040	50"	47"	46 ¼"
LT 380	380	1720	59 ¼"	55 ½"	52"
LT 810	810	3680	100"	60"	50"

Tanks include a vented access lid (various according to tank size). Threaded outlet fitting is supplied loose inside tank. Can be factory installed as required





UTILITY TANKS


(Above ground only)



Model	Gallons	Litres	Dia.	Height
UT35-50	40	180	35"	12"
UT35-100	80	360	35"	24"
UT29-100	80	360	29"	34"
UT35-150	120	540	35"	36"
UT35-200	160	720	35"	48"
UT29-200	160	720	29"	77"
UT35-250	200	900	35"	60"
UT35-300	240	1090	35"	72"
UT35-350	280	1270	35"	84"

Fits thru standard doorways

Tanks include a 16" vented access lid & a 1" threaded female pipe outlet (1" - VW110)



RAINDROP TANKS

(Above ground only)



Model	Gallons	Litres	Length	Width	Height
RT-375	375	1700	81"	34"	50"

Fits thru 36" doorways

Tanks include an 8" vented access lid & a 1" threaded female pipe outlet

BOX TANKS

(Above ground only)



Model	Gallons	Litres	Length	Width	Height
BOX 25	25	110	26"	24"	12"
BOX 50	50	220	26"	24"	24"
BOX 100	100	450	49 1/2"	25"	25"
BOX 200	200	900	49 1/2"	45"	25"
BOX 250	250	1130	48"	42"	30"
BOX 400	400	1810	84"	48"	31"
BOX 800	800	3630	98"	82"	31"

Fittings and access, extra

SLIMLINE TANKS

(Above ground only)



Model	Gallons	Litres	Length	Width.	Height
SL 270	270	1220	75 1/2"	17.8"	75 1/2"
SL 340	340	1540	75 1/2"	21.7"	75 1/2"

Tanks include a 1" outlet fitting and a 12" vented access lid.

TAPERED TANKS

(Above ground only)



Model	Gallons	Litres	Dia.	Height
TT 200	200	900	45"	50"
TT 220	220	1000	29"	77"
TT 400	400	1810	58"	54"
TT 500	500	2270	64"	55"
TT 1400	1400	6360	93"	88"

Fittings extra



CONE BOTTOM TANKS

(Above ground only)



Model	Gallons	Litres	Dia.	Height
CB 600	600	2720	71"	74"
CB 920	920	4180	71"	92"
CB 1080	1080	4900	71"	104"
CB 1390	1390	6310	71"	128"
CB 1390EH	1390	6310	71"	128"

 Steel/FG.Cradle Stand *Fittings extra*


BOBBLE TANKS (Ultra-Low Profile)



Model	Gallons	Litres	Length	Width	Height
BT470	470	2130	84"	84"	41"



CISTERN TANKS

(Buried)



Model	Gallons	Litres	Dia./ Length	Width	Height
CIS 190	190	860	47"		54"
CIS 250	250	1130	40"		48"
CIS 300	300	1360	47"		72 1/2"
CIS 470	470	2130	84"	84"	41"
CIS 500	500	2270	66"		66"
CIS 500 EH	500	2270	66"		66"
CIS 725	725	3290	75"		78"
CIS 725 EH	725	3290	75"		78"
CIS 880	880	4000	75"		86"
STC 900	900	4090	100"	83"	48"
STC 1050	1050	4770	100"	83"	56"
STC 1250	1250	5680	100"	83"	64"
STC 1500	1500	6810	100"	83"	75"



RAIN HARVESTING ACCESSORIES



Description:

Rainwater debris filter basin Model No. RWF BX50

Cloth Filter basket liner Tuffy 40 Micron 15" Dia.

 Tank Level Monitor - mechanical -
 No Power required TATG02

*Note: Refer to RAIN-TANK 2017 Excel spreadsheet
 for storage tank size optimization*




SEPTIC TANKS

(Buried)



Model	Gal-lons	Litres	Dia. or Length	Width	Height
SEP 640	640	2900	75"		78"
SEP 640 EH	640	2900	75"		78"
STS 750S	750	3400	100"	83"	48"
STS 750D	750	3400	100"	83"	48"
SEP 780	780	3540	75"		86"
SEP 780 EH	780	3540	75"		86"
STS 900S	900	4090	100"	83"	56"
STS 900D	900	4090	100"	83"	56"
STS 1125S	1125	5110	100"	83"	64"
STS 1125D	1125	5110	100"	83"	64"
STS 1350S	1350	6130	100"	83"	75"
STS 1350D	1350	6130	100"	83"	75"

STS Models are SuperTanks

PUMPOUT TANKS

(Buried)



3' bury
5' bury

NEW

Model	Gallons	Litres	Dia.	Width	Height
DS 70 Sump	70	310	31"		50"
PO 190	190	860	47"		54"
PO 250	250	1130	40"	74"	48"
TR 250	250	1130	40"	74"	48"
PO 300	300	1360	47"		72"
PO 500	480	2180	66"		66"
PO 500EH	480	2180	66"		66"
TR 500	460	2090	66"		66"
PO 640	640	2900	75"		78"
PO 780	780	3540	75"		86"
PO 380	380	1720	59"	55"	47"
PO 470	450	2040	84"	84"	41"
PO 750*	750	3400	100"	83"	48"
PO 900*	900	4090	100"	83"	56"
PO 1125*	1125	5110	100"	83"	64"
PO 1350*	1350	6130	100"	83"	75"

**Super Tanks*

NEW **GEOMATRIX 'ULTRA LOW PROFILE' TYPE 1 OR 2 LEACHING SYSTEM**

Also for high watertable, high restrictive layer installs

- 39" or 12" wide GEOMAT Panel
- 1" thick matrix dispersal cavity
- 1-39" roll services 325 sq ft of leachfield area.
- Maximum loading rate 7.56Litres/Sq.Ft



FLOUT DOSING TANK PACKAGES



Model No.	Flout size	Length	Width	Height	Max. Dose (Gals.)
FLT B50	3"	26"	24"	24"	20 gals.
FLT 130	3"	47"	40 1/2"	34"	75 gals.
FLT 175	3"	47"	44"	40 1/4"	115 gals.
FLT 230	3"	49 3/4"	47"	46 1/4"	160 gals.
FLT 380	3"	59 1/4"	55"	52"	275 gals.
* FLT 380D	3" D	59 1/4"	55"	52"	275 gals.

* Intermediate dose volume custom set
Flout Dose Counter (Mech.) Model DC4 4" pipe
* *D = Double Flout (as shown)*

Flout Packages Include:

- Heavy duty poly holding tank- (max 4' bury)
- 3" Flout, fallback stop, Inlet pipe and vent/ overflow.
- 24" UltraRib or PolyLok riser (6" high) and cover.
- 4" Inlet rubber bushing
- 4" inlet pipe and flow deflector
- 3" discharge bulkhead fitting
- 3" sched. 40 male adapters x 2
- No field assembly required

see www.premierplastics.com for more information

Note: Refer to GRAVITY 2017 Excel Spreadsheet for System Performance

TANK ACCESSORIES

LIDS



Item	Size
Lid & Rim with Double Air Breather	6"
Lid & Rim with Double Air Breather	8"
Lid & Rim with Double Air Breather	12"
Lid & Rim with Double Air Breather	16"
Lid & Rim with Double Air Breather	22"
Lockable Transport Lid (with gasket)	16"

LEAF FILTER BASKET




Item	Size
Leaf Filter Basket	8"
Leaf Filter Basket	12"
Leaf Filter Basket	15"
40 Micron Basket Liner	15"

BULKHEAD FITTINGS



Item	Size
Bulkhead Fittings (Glass reinforced)	3/4"
Bulkhead Fittings (Glass reinforced)	1"
Bulkhead Fittings (Glass reinforced)	1 1/2"
Bulkhead Fittings (Glass reinforced)	2"
Bulkhead Fittings (Glass reinforced)	3"
PVC or Polypropylene Bulkhead Fittings (Glass reinforced)	4"



SEPTIC FILTERS

(For outlet Tee Y)



Item	Size
PolyLok 30130	4"
Zoeller 170-0078	4"

POLYLOK RUBBER BUSHING



Item	Size
PolyLok Rubber Bushing	2"
PolyLok Rubber Bushing SCH40/DWV	3"
PolyLok Rubber Bushing SCH40/DWV	4"
PolyLok Rubber Bushing SCH40/DWV	6"

ULTRARIB RISERS



field trim to any length within 1 1/2"

Incl. Heavy Duty PolyLok Cover

Item (Nominal Dia 24")	Size
UR 24-6	6" High
UR 24-12	12" High
UR 24-18	18" High
UR 24-24	24" High
UR 24-30	30" High
UR 24-36	36" High
UR 24-42	42" High
UR 24-48	48" High
URC-24 Connector Ring	24" Dia
Fibreglass Cover Alt.	24" Dia

Fits all Supertank Sizes, Fat Alberts PO190, PO300

POLYLOK RISERS



Item (Nominal Dia 24")	Size
3008-RC24Cover	24" Dia
Xheavy Duty Cover	24" Dia
Adapater Ring	24" Dia
Riser 3008-R6 Section	6" High Section
Riser 3008-R12 Section	12" High Section


Fits all Supertank Sizes

Item (Nominal Dia 20")	Size
3009-RC20 Cover	20" Dia
Xheavy Duty Cover	20" Dia
Adapater Ring	20" Dia
Riser 3009-R6 Section	6" High Section
Riser 3008-R12 Section	12" High Section

INDUSTRIAL ADHESIVE



E6100 Industrial Adhesive / Sealant	Single Tube
E6100 Industrial Adhesive / Sealant	Case of 12



SEAL FOAM TAPE

Item	Size
PolyLok RTR Foam Tape	8' length
3/4" x 3/4" Closed Foam	box

DISTRIBUTION BOXES

Item	Length	Width	Height
D-Box 643 (6 Hole)	23 1/2"	17"	17 1/2"
D-Box 843 (8 Hole)	31"	17"	17 1/2"
PolyLok (4 Hole)		20" Dia.	16"
PolyLok (10 Hole)		24" Dia.	17"



REMOTE TANK LEVEL GAUGE

Item
Tank Level Gauge Kit (Pneumatic Dipstick)



ULTRARIB RISER PIPE (PACKAGE)

Item	Length	Width	Height
Dimensions per pallet	48"	48"	90"
Total 28ft, Bundle 4 pcs 7ft long per pallet			



CHECK FACTORY FOR ALTERNATE RISER PIPE.

*see Website for exact tank profile
All Volumes in Imperial Gallons
(unless otherwise noted)
All Dimensions and Volumes are Nominal*

1 Imp. Gal = 1.2 US Gal
1 Imp. Gal = 4.54 Litres
1 US Gal = 3.78 Litres

Refer to online catalogue for full details of our product line

www.premierplastics.com

or call us

1-800-661-4473

THANK YOU FOR CHOOSING PREMIER



8328 River Way Delta, BC V4G 1C4
Tel: 604-952-6686 Fax: 604-952-6696



Jean
Inside Sales



Sam
Plant Manager



PREMIER PLASTICS INC. ROTATIONAL MOLDERS

8328 River Way, Delta, B.C. Canada
www.premierplastics.com

