

SCROLODEX® FORMAT - PRODUCT LISTING

POLYETHYLENE WATER TANKS, SEPTIC TANKS AND TREATMENT SYSTEMS

www.premierplastics.com



Drinking Water
NSF/ANSI 61-G

VERTICAL WATER TANKS

(Above ground only)



Model	Gallons	Litres	Dia.	Height
VW 110	110	500	30"	53"
VW 250	250	1130	47"	47"
VW 400	400	1810	47"	71"
VW 480	480	2180	71"	44"
VW 520	520	2360	47"	90"
VW 670	670	3040	47"	112"
VW 700	700	3180	62"	72"
VW 800	800	3630	71"	67"
VW 960	960	4360	71"	79"
VW 1200	1200	5450	91"	63"
VW 1280	1280	5810	71"	103"
VW 1660	1660	7540	102"	66"
VW 1950	1950	8860	91"	92"
VW 2500	2500	11360	102"	95"
VW 3330	3330	15130	102"	123"
VW 4160	4160	18910	102"	152"

Tanks include a 16" vented access lid & a
2" threaded female pipe outlet (1" - VW110)



Drinking Water
NSF/ANSI 61-G

HORIZONTAL LEG TANKS

(Above ground only)



Model	Gallons	Litres	Length	Width	Height
LT 45	45	200	39 1/4"	25"	22"
LT 72	72	320	39 1/4"	30 1/2"	28 1/4"
LT 130	130	590	47"	40 1/2"	34"
LT 175	175	790	47"	44"	40 1/4"
LT 230	230	1040	50"	47"	46 1/4"
LT 380	380	1720	59 1/4"	55 1/2"	52"
LT 810	810	3680	100"	60"	50"

Tanks include a vented access lid (various
according to tank size). Threaded outlet fitting is
supplied loose inside tank. Can be factory installed
as required

SEPTEMBER 2025





Drinking Water
NSF/ANSI 61-G

UTILITY TANKS

(Above ground only)



Model	Gallons	Litres	Dia.	Height
UT35-50	40	180	35"	12"
UT35-100	80	360	35"	24"
UT29-100	80	360	29"	34"
UT35-150	120	540	35"	36"
UT35-200	160	720	35"	48"
UT29-200	160	720	29"	77"
UT35-250	200	900	35"	60"
UT35-300	240	1090	35"	72"
UT35-350	280	1270	35"	84"

Fits thru standard
doorways

*Tanks include a 16" vented access lid
& a 1" threaded female pipe outlet (1" - VW110)*



(Above ground only)

Fits thru
36" doorways

RAINDROP TANKS

Model	Gallons	Litres	Length	Width	Height
RT-375	375	1700	81"	34"	50"

*Tanks include an 8" vented access lid & a 1"
threaded female pipe outlet*



Drinking Water
NSF/ANSI 61-G

BOX TANKS

(Above ground only)



Model	Gallons	Litres	Length	Width	Height
BOX 25	25	110	26"	24"	12"
BOX 50	50	220	26"	24"	24"
BOX 100	100	450	49 1/2"	25"	25"
BOX 200	200	900	49 1/2"	45"	25"
BOX 250	250	1130	48"	42"	30"
BOX 400	400	1810	84"	48"	31"
BOX 800	800	3630	98"	82"	31"

Fittings and access, extra



Drinking Water
NSF/ANSI 61-G

SLIMLINE TANKS

(Above ground only)



Model	Gallons	Litres	Length	Width.	Height
SL 270	270	1220	75 1/2"	17.8"	75 1/2"
SL 340	340	1540	75 1/2"	21.7"	75 1/2"

*Tanks include a 1" outlet fitting and a 12" vented
access lid.*



Drinking Water
NSF/ANSI 61-G

TAPERED TANKS

(Above ground only)



Model	Gallons	Litres	Dia.	Height
TT 200	200	900	45"	50"
TT 220	220	1000	29"	77"
TT 400	400	1810	58"	54"
TT 500	500	2270	64"	55"
TT 1400	1400	6360	93"	88"

Fittings extra

PREMIER
PLASTICS

SEPTEMBER 2025



CONE BOTTOM TANKS

(Above ground only)



Model	Gallons	Litres	Dia.	Height
CB 600	600	2720	71"	74"
CB 920	920	4180	71"	92"
CB 1080	1080	4900	71"	104"
CB 1390	1390	6310	71"	128"
CB 1390EH	1390	6310	71"	128"

Steel/FG.Cradle Stand and Fittings extra

BOBBLE TANKS (Ultra-Low Profile)



Model	Gallons	Litres	Length	Width	Height
BT470	470	2130	84"	84"	41"

CISTERN TANKS

(Buried)



Model (style)	Gallons	Litres	Length	Width /Dia.	Height
CIS 190 (ML)	190	860		47"	54"
CIS 250 (SM)	250	1130	74"	40"	46"
CIS 300 (ML)	300	1360		47"	72 1/2"
CIS 470 (BT)	470	2130	84"	84"	41"
CIS 500 (FA)	500	2270		60"	66"
CIS500EH (FA)	500	2270		66"	66"
CIS 725 (SA)	725	3290		75"	78"
CIS725EH (SA)	725	3290		75"	78"
CIS 880 (SA)	880	4000		75"	86"
STC 900 (ST)	900	4090	100"	83"	48"
STC 1050 (ST)	1050	4770	100"	83"	56"
STC 1250 (ST)	1250	5680	100"	83"	64"
STC 1500 (ST)	1500	6810	100"	83"	75"

Style code:

*ML-Moon Lander • SM-Submarine • SA-Saturna
BT-Bobble Tank • FA- Fat Albert • ST- Super Tank*

RAIN HARVESTING ACCESSORIES

Description:

Rainwater debris filter basin Model No. RWF BX50

Cloth Filter basket liner Tuffy 40 Micron 15" Dia.

*Note: Refer to RAIN-TANK 2017 Excel spreadsheet
for storage tank size optimization
See Website.*

SEPTEMBER 2025



(Buried)



SEPTIC TANKS



Model	Gal-lons	Litres	Length	Width /Dia.	Height
SEP 640	640	2900		75"	78"
SEP 640 EH	640	2900		75"	78"
STS 750S	750	3400	100"	83"	48"
STS 750D	750	3400	100"	83"	48"
SEP 780	780	3540		75"	86"
SEP 780 EH	780	3540		75"	86"
STS 900S	900	4090	100"	83"	56"
STS 900D	900	4090	100"	83"	56"
STS 1125S	1125	5110	100"	83"	64"
STS 1125D	1125	5110	100"	83"	64"
STS 1350S	1350	6130	100"	83"	75"
STS 1350D	1350	6130	100"	83"	75"

STS Models are SuperTanks

PUMPOUT TANKS

Model	Gal-lons	Litres	Length	Width /Dia.	Height
DS 70 Sump (BB)	70	310		31"	50"
PO 190(ML)	190	860		47"	54"
PO 250(SM)	250	1130	74"	40"	46"
PO 300(ML)	300	1360		47"	72"
PO 380(LT)	380	1720	59"	55"	52"
PO 470(BT)	470	2130	84"	84"	41"
PO 500(FA)	480	2180		66"	66"
**Extra Heavy PO 500(FA) **	480	2180		66"	66"
PO 640(SA)	640	2900		75"	78"
PO 750(ST)	750	3400	100"	83"	48"
PO 780(SA)	780	3540		75"	86"
PO 900(ST)	900	4090	100"	83"	56"
PO 1125(ST)	1125	5110	100"	83"	64"
PO 1350(ST)	1350	6130	100"	83"	75"



ML



FA



LT



ST



NEW

GEOMATRIX 'ULTRA LOW PROFILE' TYPE 1 OR 2 DISPERSAL SYSTEM

Also for high watertable, high restrictive layer installs

- 39" or 12" wide GEOMAT Panel
- 1" thick matrix dispersal cavity
- 1-39" roll services 325 sq ft of leachfield area.
- Maximum loading rate 7.56Litres/Sq.Ft



PREMIER
PLASTICS

SEPTEMBER 2025





FLOATING OUTLET DOSING TANK PACKAGES (FLOUT)

Model No.	Flout size	Length	Width	Height	Max. Dose (Gals.)
FLT B50	3"	26"	24"	24"	20 gals.
FLT 130	3"	47"	40 1/2"	34"	75 gals.
FLT 175	3"	47"	44"	40 1/4"	115 gals.
FLT 230	3"	49 3/4"	47"	46 1/4"	160 gals.
FLT 380	3"	59 1/4"	55"	52"	275 gals.
* FLT 380D	3" D	59 1/4"	55"	52"	275 gals.

* Intermediate dose volume custom set
 Flout Dose Counter (Mech.) Model DC4 4" pipe
 * D = Double Flout (as shown)

Floating Outlet Packages Include:

- Heavy duty poly holding tank- (max 4' bury)
- 3" Flout, fallback stop, Inlet pipe and vent/ overflow.
- 24" UltraRib or PolyLok riser (6" high) and cover.
- 4" Inlet rubber bushing
- 4" inlet pipe and flow deflector
- 3" discharge bulkhead fitting
- 3" sched. 40 male adapters x 2
- No field assembly required

see www.premierplastics.com for more information

Note: Refer to GRAVITY 2017 Excel Spreadsheet for System Performance

TANK ACCESSORIES

LIDS



Item

Lid & Rim with Double Air Breather

Size: 6" | 8" | 12" | 16" | 22" | 16"

LEAF FILTER BASKET



Item

Leaf Filter Basket Size: 8" | 12" | 15"

40 Micron Basket Liner 15"

BULKHEAD FITTINGS



Item

Bulkhead Fittings (Glass reinforced) 3/4"

Size: 3/4" | 1" | 1 1/2" | 2" | 3" | 4" 1"

PVC or Polypropylene




POLYLOK RUBBER BUSHING

Item

PolyLok Rubber Bushing 2"

PolyLok Rubber Bushing SCH40/DWV 3" | 4" | 6"



(For outlet Tee Y)



SEPTIC FILTERS

Item	Size
PolyLok 30130	4"
Zoeller 170-0078	4"

ULTRARIB RISERS

Item (Nominal Dia 24")	Size
UR 24-6	6" High
UR 24-12	12" High
UR 24-18	18" High
UR 24-24	24" High
UR 24-30	30" High
UR 24-36	36" High
UR 24-42	42" High
UR 24-48	48" High
URC-24 Connector Ring	24" Dia
Fibreglass Cover Alt.	24" Dia
<i>Fits all Supertank Sizes, Fat Alberts PO190, PO300</i>	

field trim to any length
within 1 1/2"

Incl. Heavy Duty
PolyLok Cover




POLYLOK RISERS

Item (Nominal Dia 24")	Size
3008-RC24Cover	24" Dia
Xheavy Duty Cover	24" Dia
Adapater Ring	24" Dia
Riser 3008-R6 Section	6" High Section
Riser 3008-R12 Section	12" High Section
<i>Fits all Supertank Sizes</i>	

Item (Nominal Dia 20")	Size
3009-RC20 Cover	20" Dia
Xheavy Duty Cover	20" Dia
Adapater Ring	20" Dia
Riser 3009-R6 Section	6" High Section
Riser 3008-R12 Section	12" High Section

INDUSTRIAL ADHESIVE

E6100 Industrial Adhesive / Sealant	Single Tube
E6100 Industrial Adhesive / Sealant	Case of 12



PREMIER
PLASTICS

SEPTEMBER 2025



SEAL FOAM TAPE

Item	Size
PolyLok RTR Foam Tape	8' length
3/4" x 3/4" Closed Foam	box

DISTRIBUTION BOXES

Item	Length	Width	Height
D-Box 643 (6 Hole)	23 1/2"	17"	17 1/2"
D-Box 843 (8 Hole)	31"	17"	17 1/2"
PolyLok (4 Hole)		20" Dia.	16"
PolyLok (10 Hole)		24" Dia.	17"

ULTRARIB RISER PIPE (PACKAGE)

Item	Length	Width	Height
Dimensions per pallet	48"	48"	90"
Total 28ft, Bundle 4 pcs 7ft long per pallet			

CHECK FACTORY FOR ALTERNATE RISER PIPE.

*See Website for exact tank profile
All Volumes in Imperial Gallons
(unless otherwise noted)
All Dimensions and Volumes are Nominal*

1 Imp. Gal = 1.2 US Gal
1 Imp. Gal = 4.54 Litres
1 US Gal = 3.78 Litres

Refer to online catalogue for full details of our product line

www.premierplastics.com

or call us

1-800-661-4473

THANK YOU FOR CHOOSING PREMIER



8328 River Way Delta, BC V4G 1C4
Tel: 604-952-6686 Fax: 604-952-6696

PREMIER
PLASTICS

SEPTEMBER 2025



Jean
Inside Sales

Sam
Plant Manager



PREMIER PLASTICS INC.

ROTATIONAL MOLDERS SINCE 1990

8328 River Way, Delta, B.C. Canada
www.premierplastics.com

